Author Index

Agawa, Y., see Kato, T. (1063) 191
Aoyagi, H., see Kato, T. (1063) 191

Bamberg, E., see Langosch, D. (1063) 36
Bañó, M.C., see Cohen, S. (1063) 95
Beaugé, L., see Berberián, G. (1063) 217
Beavis, A.D.
N-Ethylmaleimide and mercurials modulate inhibition of the mitochondrial inner membrane anion channel by H^+, Mg^{2+} and cationic amphiphiles (1063) 111
Benito, B., Moreno, E. and Lagunas, R.
Half-life of the plasma membrane ATPase and its activating system in resting yeast cells (1063) 265
Berberián, G. and Beaugé, L.
Phosphorylation of Na,K-ATPase by acetyl phosphate and inorganic phosphate. Sidedness of Na^+, K^+ and nucleotide interactions and related enzyme conformations (1063) 217
Betz, H., see Langosch, D. (1063) 36
Bhakdi, S., see Sauer, H. (1063) 137
Bradrick, T.D., see Sekharam, K.M. (1063) 171
Brett, R.S., see Dilger, J.P. (1063) 253

Casteels, R., see Verbist, J. (1063) 1
Chow, M., see Cohen, S. (1063) 95
Clerici, C., Soler, P. and Saumon, G.
Sodium-dependent phosphate and alanine transports but sodium-independent hexose transport in type II alveolar epithelial cells in primary culture (1063) 27
Cohen, S., Bañó, M.C., Chow, M. and Langer, R.
Lipid–alginate interactions render changes in phospholipid bilayer permeability (1063) 95
Cukierman, S., see Krawczyk, J. (1063) 60

Daum, G., see Szolderits, G. (1063) 197
Dilger, J.P., Brett, R.S., Poppers, D.M. and Liu, Y.
The temperature dependence of some kinetic and conductance properties of acetylcholine receptor channels (1063) 253

Ehrenfeld, J., see Lacoste, I. (1063) 103

Fujii, N., see Matsuzaki, K. (1063) 162
Fujii, Y., Kaizuka, M., Hashida, F., Maruo, J., Sato, E., Yasuda, H., Kurokawa, T. and Ishibashi, S.
Insulin regulates Na^+/glucose cotransporter activity in rat small intestine (1063) 90
Funakoshi, S., see Matsuzaki, K. (1063) 162

Gadella Jr., T.W.J., see Verbist, J. (1063) 1
Georghiou, S., see Sekharam, K.M. (1063) 171
Gérardi-Laffin, C., Vittori, C., Sudaka, P. and Poirée, J.C.
Immunological recognition of sodium/D-glucose cotransporter from renal brush border membranes by polyclonal antibodies (1063) 21
Grell, E., see Langosch, D. (1063) 36
Gross, R.W., see Han, X. (1063) 129
Grover, A.K., see Spencer, G.G. (1063) 15

Han, X. and Gross, R.W.
Proton nuclear magnetic resonance studies on the molecular dynamics of plasmenylcholine/cholesterol and phosphatidylcholine/cholesterol bilayers (1063) 129
Harada, M., see Matsuzaki, K. (1063) 162
Hartung, K., see Langosch, D. (1063) 36
Harvey, B.J., see Lacoste, I. (1063) 103
Hashida, F., see Fujii, Y. (1063) 90
Hermetter, A., see Szolderits, G. (1063) 197

Ishibashi, S., see Fujii, Y. (1063) 90
Ito, T., see Yamazaki, M. (1063) 175

Kaizuka, M., see Fujii, Y. (1063) 90
Kato, T., Lee, S., Ono, S., Agawa, Y., Aoyagi, H., Ohno, M. and Nishino, N.
Conformational studies of amphipathic α-helical peptides containing an amino acid with a long alkyl chain and their anchoring to lipid bilayer liposomes (1063) 191
Kawasaki, T., see Satoh, O. (1063) 155
Khan, I., see Spencer, G.G. (1063) 15
Koepsell, H., see Weber, W.-M. (1063) 73
Koyama, S.-y., see Satoh, O. (1063) 155
Krawczyk, J. and Cukierman, S.
The nature of the conductance increase induced by filipin in cholesterol-containing planar lipid bilayers (1063) 60
Kunz, B.C., Vergères, G., Winterhalter, K.H. and Richter, C.
Chemical modification of rat liver microsomal cytochrome *P*-450: study of enzymic properties and membrane topology (1063) 226
Kurokawa, T., see Fujii, Y. (1063) 90
Kurzion, T., see Sauer, A. (1063) 203

Lacoste, I., Harvey, B.J. and Ehrenfeld, J.
Cl^- permeability of the basolateral membrane of the *Rana esculenta* epithelium: activation of Cl^-/HCO_3^- exchange by alkaline intracellular pH (1063) 103
Lagunas, R., see Benito, B. (1063) 265
Langer, R., see Cohen, S. (1063) 95
Langosch, D., Hartung, K., Grell, E., Bamberg, E. and Betz, H.
Ion channel formation by synthetic transmembrane segments of the inhibitory glycine receptor – a model study (1063) 36
Lee, S., see Kato, T. (1063) 191
Liu, Y., see Dilger, J.P. (1063) 253

MacDonald, R.C., see Subbarao, N.K. (1063) 147
MacDonald, R.I., see Subbarao, N.K. (1063) 147
Magocsi, M. and Penniston, J.T.
Oxytocin pretreatment of pregnant rat uterus inhibits Ca^{2+} uptake in plasma membrane and sarcoplasmic reticulum (1063) 7
Marsh, D., see Reboiras, M.D. (1063) 259
Maruo, J., see Fujii, Y. (1063) 90
Matsuzaki, K., Harada, M., Funakoshi, S., Fujii, N. and Miyajima, K.
Physicochemical determinants for the interactions of magainins 1 and 2 with acidic lipid bilayers (1063) 162
Meyerstein, D., see Sauer, A. (1063) 203
Meyerstein, N., see Sauer, A. (1063) 203
Michalak, M., see Milner, R.E. (1063) 120

Milner, R.E., Michalak, M. and Wang, L.C.H.
Altered properties of calsequestrin and the ryanodine receptor in the cardiac sarcoplasmic reticulum of hibernating mammals (1063) 120
Miyajima, K., see Matsuzaki, K. (1063) 162
Moll, G.N., see Simões, A.P. (1063) 45
Moreno, E., see Benito, B. (1063) 265

Nishino, N., see Kato, T. (1063) 191

Ohno, M., see Kato, T. (1063) 191
Ohshika, M., see Yamazaki, M. (1063) 175
Ono, S., see Kato, T. (1063) 191
Op den Kamp, J.A.F., see Simões, A.P. (1063) 45

Paltauf, F., see Szolderits, G. (1063) 197
Pandey, S. and Parnaik, V.K.
Identification and characterization of nuclear location signal-binding proteins in nuclear envelopes (1063) 81
Parnaik, V.K., see Pandey, S. (1063) 81
Penniston, J.T., see Magocsi, M. (1063) 7
Perly, B., see Tabony, J. (1063) 67
Peters, R., see Sauer, H. (1063) 137
Poirée, J.C., see Gérardi-Laffin, C. (1063) 21
Poppers, D.M., see Dilger, J.P. (1063) 253
Pratsch, L., see Sauer, H. (1063) 137
Püschel, B., see Weber, W.-M. (1063) 73

Raeymaekers, L., see Verbist, J. (1063) 1
Reboiras, M.D. and Marsh, D.
EPR studies on the influence of chainlength on the segmental motion of spin-labelled fatty acids in dimyristoylphosphatidylcholine bilayers (1063) 259
Richter, C., see Kunz, B.C. (1063) 226
Richter, C., see Vergères, G. (1063) 235
Ripoche, P., see Tacnet, F. (1063) 51
Roelofsen, B., see Simões, A.P. (1063) 45
Roth, M.R. and Welti, R.
Lipid arrangement in fluid model membranes: analysis by cross-linking of phosphatidylethanolamines (1063) 242
Rottem, S., see Salman, M. (1063) 209

Salman, M., Tarshis, M. and Rottem, S.
Small unilamellar vesicles are able to fuse with *Mycoplasma capricolum* cells (1063) 209
Sato, E., see Fujii, Y. (1063) 90
Satoh, O., Koyama, S.-y., Yamada, K. and Kawasaki, T.
Changes in amino acid and glucose transport in brush-border membrane vesicles of hyperglycemic guinea-pig small intestine (1063) 155
Sauer, A., Kurzion, T., Meyerstein, D. and Meyerstein, N.
Kinetics of hemolysis of normal and abnormal red blood cells in glycerol-containing media (1063) 203
Sauer, H., Pratsch, L., Tschopp, J., Bhakdi, S. and Peters, R.
Functional size of complement and perforin pores compared by confocal laser scanning microscopy and fluorescence microphotolysis (1063) 137
Saumon, G., see Clerici, C. (1063) 27
Schwarz, W., see Weber, W.-M. (1063) 73
Sekharam, K.M., Bradrick, T.D. and Georghiou, S.
Kinetics of melittin binding to phospholipid small unilamellar vesicles (1063) 171
Simões, A.P., Moll, G.N., Slotboom, A.J., Roelofsen, B. and Op den Kamp, J.A.F.
Selective internalization of choline-phospholipids in *Plasmodium falciparum* parasitized human erythrocytes (1063) 45
Slotboom, A.J., see Simões, A.P. (1063) 45
Soler, P., see Clerici, C. (1063) 27
Solomon, A.K., see Toon, M.R. (1063) 179
Spencer, G.G., Yu, X., Khan, I. and Grover, A.K.
Expression of isoforms of internal Ca^{2+} pump in cardiac, smooth muscle and non-muscle tissues (1063) 15
Steffgen, J., see Weber, W.-M. (1063) 73
Subbarao, N.K., MacDonald, R.I., Takeshita, K. and MacDonald, R.C.
Characteristics of spectrin-induced leakage of extruded, phosphatidylserine vesicles (1063) 147
Sudaka, P., see Gérardi-Laffin, C. (1063) 21
Szabó, G., see Tóth, G. (1063) 247
Szolderits, G., Daum, G., Paltauf, F. and Hermetter, A.
Protein-catalyzed transport of ether phospholipids (1063) 197

Tabony, J. and Perly, B.
Quasielastic neutron scattering measurements of fast local translational diffusion of lipid molecules in phospholipid bilayers (1063) 67
Tacnet, F., Watkins, D.W. and Ripoche, P.
Zinc binding in intestinal brush-border membrane isolated from pig (1063) 51
Takeshita, K., see Subbarao, N.K. (1063) 147
Tarshis, M., see Salman, M. (1063) 209
Toon, M.R. and Solomon, A.K.
Transport parameters in the human red cell membrane: solute-membrane interactions of amides and ureas (1063) 179
Tóth, G. and Szabó, G.
Nucleotide and DNA uptake by *Neurospora crassa*: involvement of an uptake stimulating protein (1063) 247
Tschopp, J., see Sauer, H. (1063) 137

Verbist, J., Gadella Jr., T.W.J., Raeymaekers, L., Wuytack, F., Wirtz, K.W.A. and Casteels, R.
Phosphoinositide–protein interactions of the plasma-membrane Ca^{2+}-transport ATPase as revealed by fluorescence energy transfer (1063) 1
Vergères, G., Winterhalter, K.H. and Richter, C.
Localization of the N-terminal methionine of rat liver cytochrome *P*-450 in the lumen of the endoplasmic reticulum (1063) 235
Vergères, G., see Kunz, B.C. (1063) 226
Vittori, C., see Gérardi-Laffin, C. (1063) 21

Wang, L.C.H., see Milner, R.E. (1063) 120
Watkins, D.W., see Tacnet, F. (1063) 51
Weber, W.-M., Püschel, B., Steffgen, J., Koepsell, H. and Schwarz, W.
Comparison of a Na^+/D-glucose cotransporter from rat intestine expressed in oocytes of *Xenopus laevis* with the endogenous cotransporter (1063) 73
Welti, R., see Roth, M.R. (1063) 242
Winterhalter, K.H., see Kunz, B.C. (1063) 226
Winterhalter, K.H., see Vergères, G. (1063) 235
Wirtz, K.W.A., see Verbist, J. (1063) 1
Wuytack, F., see Verbist, J. (1063) 1

Yamada, K., see Satoh, O. (1063) 155
Yamazaki, M., Ohshika, M. and Ito, T.
Phase separation of Triton X-100 micelle solution induced by osmotic stress (1063) 175
Yasuda, H., see Fujii, Y. (1063) 90
Yu, X., see Spencer, G.G. (1063) 15